

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
39	BRS	L47	1	(radio near3 transmit\$4 or radio near3 broadcast\$4) same (power near3 tube\$1) same (excit\$6 near2 device\$1 or excit\$4 near3 circuit\$3 or control\$4 near3 device\$1 or control\$4 near3 circuit\$3)	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:10	
40	BRS	L48	36	(radio near3 transmit\$4 or radio near3 broadcast\$4 or radio near3 transmission) same (power near3 tube\$1)	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:11	
41	BRS	L49	6	48 and (phase and amplitude)	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:18	
42	BRS	L50	10	(phase same amplitude same grid\$1 same anode\$1) same (transmit\$4 or transmission)	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:25	
43	BRS	L51	10	50 and (amplif\$8 or threshold\$1)	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:33	
44	BRS	L52	2	50 and (threshold\$1)	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:34	
45	BRS	L53	286	(linear with amplif\$8 with amplitude\$1) with (transmit\$4 or transmission)	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:36	

	Error Definition	Er ro rs
39		0
40		0
41		0
42		0
43		0
44		0
45		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
46	BRS	L54	361	(exceed\$3 near3 threshold\$1 or greater near2 threshold\$1 or bigger near2 threshold\$1 or more near2 threshold\$1) with (transmit\$4 or transmission) with amplitude\$1	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:38	
47	BRS	L55	5	53 and 54	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:41	
48	BRS	L56	1	linear near3 independent\$3 with (transmit\$4 or transmission) with threshold\$1	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:56	
49	BRS	L57	18	linear\$6 near3 amplif\$9 with (transmit\$4 or transmission) with threshold\$1	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:52	
50	BRS	L58	0	independent43 near4 amplif\$9 with (transmit\$4 or transmission) with threshold\$1	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:52	
51	BRS	L59	2	independent\$3 near4 amplif\$9 with (transmit\$4 or transmission) with threshold\$1	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:54	
52	BRS	L60	8	independent\$3 and 51	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:54	

	Error Definition	Er ro rs
46		0
47		0
48		0
49		0
50		0
51		0
52		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
53	BRS	L61	13	linear\$3 near3 independent\$3 with (transmit\$4 or transmission) with amplitude\$1	USPA T; US-P GPUB ; EPO; JPO	2004/10/2 9 18:59	
54	BRS	L62	11	61 and amplif\$9	USPA T; US-P GPUB ; EPO; JPO	2004/10/2 9 18:59	
55	BRS	L77	3	(amplif\$9 near4 transmit\$4 or amplif\$9 near3 transmission) same (linear\$4 near2 independent\$4) same (amplitude)	USPA T; US-P GPUB ; EPO; JPO	2004/10/2 9 19:09	
56	BRS	L78	1266	(control\$4 near2 device\$1 or control\$4 near2 circuit\$3 or logic\$4 near2 device\$1 or excitat\$4 near2 device\$1 or excitat\$4 near3 circuit\$3 or excitat\$4 near2 logic\$1) same (linear\$4 near2 amplif\$9)	USPA T; US-P GPUB ; EPO; JPO	2004/10/2 9 19:31	
57	BRS	L79	46	78 same (threshold\$1 or predetermin\$3 or predefin\$3) same (amplitude\$1)	USPA T; US-P GPUB ; EPO; JPO	2004/10/2 9 19:13	
58	BRS	L80	20	79 and independent\$4	USPA T; US-P GPUB ; EPO; JPO	2004/10/2 9 19:36	

	Error Definition	Er ro rs
53		0
54		0
55		0
56		0
57		0
58		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
59	BRS	L81	49	(transmit\$4 near3 amplitude\$1 or transmission near3 amplitude) near4 (exceed\$3 near3 threshold\$1 or surpass\$4 near3 threshold\$1 or greater near3 threshold\$1 or higher near2 threshold\$1)	USPA T; US-P GPUB ; EPO; JPO	2004/10/2 9 19:38	
60	BRS	L82	39	(transmit\$4 near3 amplitude\$1 or transmission near3 amplitude) near4 (exceed\$3 near3 predetermin\$3 or surpass\$4 near3 predetermin\$3 or greater near3 predetermin\$3 or higher near2 predetermin\$4)	USPA T; US-P GPUB ; EPO; JPO	2004/10/2 9 19:39	
61	BRS	L83	0	(transmit\$4 near3 amplitude\$1 or transmission near3 amplitude) near4 (exceed\$3 near3 predefin\$3 or surpass\$4 near3 predefin\$3 or greater near3 predefin\$3 or higher near2 predefin\$4)	USPA T; US-P GPUB ; EPO; JPO	2004/10/2 9 19:39	
62	BRS	L84	73	81 or 82	USPA T; US-P GPUB ; EPO; JPO	2004/10/2 9 19:39	
63	BRS	L85	1	84 same (linear\$4 near3 amplif\$9)	USPA T; US-P GPUB ; EPO; JPO	2004/10/2 9 19:40	

	Error Definition	Er ro rs
59		0
60		0
61		0
62		0
63		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
64	BRS	L86	10	84 and (linear\$4 near3 amplif\$9)	USPA T; US-P GPUB ; EPO; JPO	2004/10/2 9 19:40	

	Error Definition	Er ro rs
64		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
39	BRS	L47	1	(radio near3 transmit\$4 or radio near3 broadcast\$4) same (power near3 tube\$1) same (excit\$6 near2 device\$1 or excit\$4 near3 circuit\$3 or control\$4 near3 device\$1 or control\$4 near3 circuit\$3)	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:10	
40	BRS	L48	36	(radio near3 transmit\$4 or radio near3 broadcast\$4 or radio near3 transmission) same (power near3 tube\$1)	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:11	
41	BRS	L49	6	48 and (phase and amplitude)	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:18	
42	BRS	L50	10	(phase same amplitude same grid\$1 same anode\$1) same (transmit\$4 or transmission)	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:25	
43	BRS	L51	10	50 and (amplif\$8 or threshold\$1)	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:33	
44	BRS	L52	2	50 and (threshold\$1)	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:34	
45	BRS	L53	286	(linear with amplif\$8 with amplitude\$1) with (transmit\$4 or transmission)	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:36	

	Error Definition	Er ro rs
39		0
40		0
41		0
42		0
43		0
44		0
45		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
46	BRS	L54	361	(exceed\$3 near3 threshold\$1 or greater near2 threshold\$1 or bigger near2 threshold\$1 or more near2 threshold\$1) with (transmit\$4 or transmission) with amplitude\$1	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:38	
47	BRS	L55	5	53 and 54	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:41	
48	BRS	L56	1	linear near3 independent\$3 with (transmit\$4 or transmission) with threshold\$1	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:56	
49	BRS	L57	18	linear\$6 near3 amplif\$9 with (transmit\$4 or transmission) with threshold\$1	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:52	
50	BRS	L58	0	independent43 near4 amplif\$9 with (transmit\$4 or transmission) with threshold\$1	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:52	
51	BRS	L59	2	independent\$3 near4 amplif\$9 with (transmit\$4 or transmission) with threshold\$1	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:54	
52	BRS	L60	8	independent\$3 and 51	USPA T; US-P GPUB ; EPO; JPO	2004/10/29 18:54	

	Error Definition	Er ro rs
46		0
47		0
48		0
49		0
50		0
51		0
52		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
53	BRS	L61	13	linear\$3 near3 independent\$3 with (transmit\$4 or transmission) with amplitude\$1	USPA T; US-P GPUB ; EPO; JPO	2004/10/2 9 18:59	
54	BRS	L62	11	61 and amplif\$9	USPA T; US-P GPUB ; EPO; JPO	2004/10/2 9 18:59	

	Error Definition	Er ro rs
53		0
54		0